

Table Tops

Available in three top sizes: 55", 63" and 71"

Height adjustable from 25" high at the lowest point to 50" at full extension.

Table Tops are 0.75" Laminate




Table Frame & Leg Finishes

Standard:

Black or white painted frame with Black, White or polished foot

Standard foot conforms to British Standard BS EN 527-2: 2016



Black RAL 9005 & Polished Aluminum

White RAL 9016 & Polished Aluminum

Black RAL 9005

White RAL 9016

Linak Desk Control Components

As standard, ACDC Desking features a black or white DL11 lifting column and a DPF1K two button control panel.

To enhance the function of the desk, a DPF1C control panel with integrated LED & 3 memory positions is available. Additionally a bluetooth connector is available that allows you to control your desk via a free app

Standard Control Options



DL11 Lifting Column in black or white



DPF1K 2 button table control panel

Optional Extras to Consider



DPF1C with LED & 3 memory positions



Bluetooth Connector for remote desk control

Boss Design Suggested Power & Data Options

Various power and data options are available to specify on ACDC Desking however we recommend the following shown (right) as standard options.

Additionally, power is located centre of the table and runs parallel with the longest edges.

For customers own power please contact us for compatibility



ARC-H LD
Black or White



Pixel
1x Power +TUF



Phase
1x Power, 1x TUF

Detailed Specification

Leg Column, Frame & Foot Finishes

The ACDC Desking columns, frame and foot finishes are available in the following finishes:



Black RAL 9005 & Polished Aluminum

White RAL 9016 & Polished Aluminum

Black RAL 9005

White RAL 9016

Frame/Top Height

ACDC Desking is 25" - 50" high including an 0.75" Laminate table top.

Please note tolerances are within +/- 0.4"

Top Finishes

Available with either square corners as standard or **optional** 2.75" radius corner.

Screen Details

ACDC is available with both rear and side screen options, please see power page for the full range.

Side screens are **NOT** available on W55" tables.

Table Power Suggestions

ACDC is available with the following power and data options:


- ARC-H LD
- Pixel
- Phase

Please see power page for full range.

A 72" starter cable is supplied as standard however other lengths are available.


If you wish to use an alternative power unit, please contact customer service for compatibility.

Edge Details Square Edge



Side Profile

2.75" Radius Corners Optional



Plan View

RAL Colors* Standard Foot & Frame Finish Colors



Black RAL 9005

White RAL 9016

*Due to the printing process, colors are approximate. Please view an RAL color chart for accurate color representation

Certification

ACDC Desking is certified to the following standard(s):

• **BS EN 527 - 2: 2016** - safety, strength and durability requirement for work tables and desks for office tasks to be undertaken in a seated, a sit-stand or standing position



Standard Equipment

Our ACDC Desking system comes fully equipped with everything you need in order to start working from a seated or standing position.

To further enhance your sit stand working experience, we offer several upgrades & extras for you to choose from. Details of these can be found on the previous two pages.


Is there something you would like to add to your desk but haven't found an option for it here? Simply contact your sales representative who will be able to advise you on compatibility and costings.



Circular Column



DPF1K Control Panel



OE QikTRAY

Product Certification	BS EN 527-2: 2016 Office furniture. Work tables. Safety, strength and durability requirements
------------------------------	--

Standard Power Options

We offer four power & data options as standard however others can be specified. Please see power page for more information.

ARC-H LD
Black or white

Pixel
1x Power & 1x TUF

Phase
1x Power & 1x TUF



ARC-H LD
Black or White



Pixel
1x Power +TUF



Phase
1x Power, 1x TUF

HEIGHT ADJUSTABLE	Code:	Description	Size		Square Edge Only	(lb)
			L x W (" inches)		Laminate 0.75"	
	ACD/1400/P/B	Polished Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	55"	31.5"	2382	-
	ACD/1400/P/W	Polished Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	55"	31.5"	2382	-
	ACD/1400/B/B	Black Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	55"	31.5"	2432	-
	ACD/1400/W/W	White Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	55"	31.5"	2432	-
	ACD/1600/P/B	Polished Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	63"	31.5"	2428	-
	ACD/1600/P/W	Polished Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	63"	31.5"	2428	-
	ACD/1600/B/B	Black Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	63"	31.5"	2478	-
	ACD/1600/W/W	White Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	63"	31.5"	2478	-
	ACD/1800/P/B	Polished Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	71"	31.5"	2502	-
	ACD/1800/P/W	Polished Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	71"	31.5"	2502	-
	ACD/1800/B/B	Black Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	71"	31.5"	2552	-
	ACD/1800/W/W	White Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	71"	31.5"	2552	-

Screen Type	Description L x W (")	COM /1	2	3	4	5	6	7	8	9	10	(ly)
-------------	--------------------------	--------	---	---	---	---	---	---	---	---	----	------

Rear Screens - Standard Height - 19.75" High

	W49.5" For 55" x 31.5" desks	310	356	410	446	510	556	636	728	844	952	1.75
	W57.5" For 63" x 31.5" desks	330	380	436	474	542	590	676	772	896	1010	2
	W65.5" For 71" x 31.5" desks	384	438	500	542	616	668	762	868	1004	1130	2.25

Side Screen - Standard Height - 19.75 High

	H19.75" x W26" Price Per Screen N.B Not available on 55"W Desks	212	240	272	294	332	358	406	460	528	592	0.75
--	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

Rear Screen - Modesty panel - 27.5" High

	W49.5" For 55" x 31.5" desks	376	464	564	632	752	836	988	1158	1376	1578	3.25
	W57.5" For 63" x 31.5" desks	388	484	594	668	798	890	1056	1242	1480	1702	3.5
	W65.5" For 71" x 31.5" desks	548	656	780	864	1012	1116	1304	1516	1788	2040	4

Side Screen - Modesty Height - 27.5" High

	H27.5" x W26" Price Per Screen N.B Not available on 55"W Desks	260	310	366	404	472	520	606	702	826	940	1.75
--	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

Options

Fabric Linear Yards Product Weight

CODE:	DESCRIPTION	\$	CODE:	DESCRIPTION	\$
ARC-H LD	Wireless charging - Black or White	300	BLUE TOOTH	Blue Tooth Adapter	84
PIXEL	1x Power & 1x TUF - White	440	RC	2.75" Radius corners	144
PHASE	1x Power & 1x TUF - White or Black	460			
DPF1C	LINAK DPF1C - Digital LED Control Panel	94			

Table Tops & Frame

Available in multiple top sizes: 63", 71", 82.75" and 94.5"

Height adjustable from 25.25" high at the lowest point to 45.25 at full extension.

Table Tops are 0.75" thick

Frame Options

Standard:

Polished Aluminum or Black painted RAL 9005 Under Frame with Black Cable Trays

Cable Management Option

For floor to power cable management, we recommend the use of Cable snake

See power and data section for more information

Linak Desk Control Components

As standard, ACDC Desking features a black or white DL11 lifting column and a DPF1K two button control panel.

To enhance the function of the desk, a DPF1C control panel with integrated LED & 3 memory positions is available. Additionally a bluetooth connector is available that allows you to control your desk via a free app

Boss Design Suggested Power & Data Options

Various power and data options are available to specify on ACDC Desking however we recommend the following as standard: ARC-H LD, Pixel with TUF A&C.


As standard, power is located centre of the table and runs parallel with the longest edges.

For customers own power please contact us for compatibility

Detailed Specification

Leg Column, Frame & Foot Finishes

The ACDC Height Adjustable columns, frame and foot finishes are available in the following finishes:



Tables sized at W94.5"mm (94.5") and above feature a 'crossbar' above the foot for increased stability

Frame Height

The ACDC Height Adjustable frame height varies depending on:

- Standard Foot: **25.25" - 40.25" high** including table top.
- Raised Foot: **28.75" - 45.25" high** including table top.

*** 94.5" minimum height is 25.5".**

**** 94.5" minimum height is 27.25".**

Top Finishes

A choice of tops available as follows:


Standard Finishes - Laminate, Oak & ABW Veneer and Fenix. Available either with a square corner as standard or with an optional 2.75" radius corners.

Edge Details

- 0.75" Laminate - Matching color edge
- 0.75" Veneer - Solid Edge
- 0.75" Fenix - Matching Edge

Edge Details


Square Edge



Side Profile

2.75" Radius Corners

Optional



Plan View

Grain Direction

Single table top pieces - Grain runs lengthways

Meeting Table Power Options

ACDC is available with the following power and data options:

- ARC-H LD Unit
- Pixel - 1x Power & TUF

Please see page 512 for full specification

A 72" starter cable is supplied as standard however other lengths are available.

If you wish to use an alternative power unit, please contact customer service for compatibility.

Power Location


ACDC power locations are available central, left or right to the table and parallel to the longest edge. Positioning may vary depending on the type of power unit specified.

Digital Assets

We hold a library of assets for our Deploy product range which you can find by scanning the QR code below. If you are viewing our interactive PDF, simply click on the QR code to be taken directly there.




Standard Foot



Min. Height

Max. Height

Raised Foot



Min. Height

Max. Height



Standard Control Options



DL11 Lifting Column in black or white



DPF1K 2 button table control panel

Optional Extras to Consider



DPF1C with LED & 3 memory positions



Bluetooth Connector for remote desk control



ARC-H LD Black or White



Pixel 1x Power + TUF




Phase 1x Power, 1x TUF

RAL Colors*

Standard Finish Colors



Black RAL 9005



White RAL 9016

*Due to the printing process, colors are approximate. Please view an RAL color chart for accurate color representation

Certification

ACDC (Standard Foot) is certified to the following standard(s):

- **BS EN 527 - 2: 2016** - safety, strength and durability requirement for work tables and desks for office tasks to be undertaken in a seated, a sit-stand or standing position



Image Shows ACM/94.5"/L/P/W with Oak Veneer top in lowered position

Standard Foot Table

Profiles

Height Adjustable from 25.25" - 45.25" the Flat foot specified

Square Edge as Standard

Flat foot is compliant to BS EN 527-2: 2016 - For Office tasks to be undertaken in a seated, sit-stand or standing position

Tables sized at W94.5" and above feature a 'crossbar' above the foot for increased stability



Black RAL 9005 & Polished Aluminum

White RAL 9016 & Polished Aluminum

Black RAL 9005

White RAL 9016

Standard Equipment

Our ACDC meeting tables come fully equipped with everything you need in order to start working from a sat or standing position.

To further enhance your sit stand working experience, we offer several upgrades & extras for you to choose from. Details of these can be found on the previous two pages.

Is there something you would like to add to your desk but haven't found an option for it here? Simply contact your sales representative who will be able to advise you on compatibility and costings.

Standard Control Options



DL11 Lifting Column in black or white

Optional Extras to Consider



DPF1K 2 button table control panel



DPF1C with LED & 3 memory positions



Bluetooth Connector for remote desk control

STANDARD FOOT	Code	Description	Size		Seats Approx.	Square Edge Only			Product Weight (lb)
			L x W			Laminate Matching Edge 0.75"	Oak Or ABW Veneer Solid Edge 0.75"	Fenix Matching Edge 0.75"	
Rectangular	ACM/1600/L/P/B	Polished Feet & Under Frame with Black Linak Lifting Column	63"	39.5"	6	3748	4494	5048	-
Rectangular	ACM/1600/L/P/W	Polished Feet & Under Frame with White Linak Lifting Column	63"	39.5"	6	3748	4494	5048	-
Rectangular	ACM/1600/L/B	Black Feet & Under Frame with Black Linak Lifting Column	63"	39.5"	6	3812	4556	5108	-
Rectangular	ACM/1600/L/W	White Feet & White Linak Lifting Column with Black Under Frame	63"	39.5"	6	3858	4602	5152	-
Rectangular	ACM/1800R/L/P/B	Polished Feet & Under Frame with Black Linak Lifting Column	71"	39.5"	6	3804	4632	5166	-
Rectangular	ACM/1800R/L/P/W	Polished Feet & Under Frame with White Linak Lifting Column	71"	39.5"	6	3804	4632	5166	-
Rectangular	ACM/1800R/L/B	Black Feet & Under Frame with Black Linak Lifting Column	71"	39.5"	6	3864	4688	5226	-
Rectangular	ACM/1800R/L/W	White Feet & White Linak Lifting Column with Black Under Frame	71"	39.5"	6	3908	4732	5272	-
Rectangular	ACM/2100R/L/P/B	Polished Feet & Underframe with Black Linak Actuator	82.75"	39.5"	6-8	4172	4766	5252	-
Rectangular	ACM/2100R/L/P/W	Polished Feet & Underframe with White Linak Actuator	82.75"	39.5"	6-8	4172	4766	5252	-
Rectangular	ACM/2100R/L/B	Black Feet & Underframe with Black Linak Actuator	82.75"	39.5"	6-8	4230	4828	5312	-
Rectangular	ACM/2100R/L/W	White Feet & White Linak Actuator with Black Underframe	82.75"	39.5"	6-8	4274	4874	5356	-
Rectangular	ACM/2400R/L/P/B	Polished Feet & Underframe with Black Linak Actuator	94.5"	39.5"	8	4662	5038	5416	-
Rectangular	ACM/2400R/L/P/W	Polished Feet & Underframe with White Linak Actuator	94.5"	39.5"	8	4662	5038	5416	-
Rectangular	ACM/2400R/L/B	Black Feet & Underframe with Black Linak Actuator	94.5"	39.5"	8	4720	5096	5476	-
Rectangular	ACM/2400R/L/W	White Feet & White Linak Actuator with Black Underframe	94.5"	39.5"	8	4766	5142	5522	-
Elliptical	ACM/2400E/L/P/B	Polished Feet & Underframe with Black Linak Actuator	94.5"	43.25"	8	4662	5038	5416	-
Elliptical	ACM/2400E/L/P/W	Polished Feet & Underframe with White Linak Actuator	94.5"	43.25"	8	4662	5038	5416	-
Elliptical	ACM/2400E/L/B	Black Feet & Underframe with Black Linak Actuator	94.5"	43.25"	8	4720	5096	5476	-
Elliptical	ACM/2400E/L/W	White Feet & White Linak Actuator with Black Underframe	94.5"	43.25"	8	4766	5142	5522	-
Lozenge	ACM/2400D/L/P/B	Polished Feet & Underframe with Black Linak Actuator	94.5"	39.5"	8	4662	5038	5416	-
Lozenge	ACM/2400D/L/P/W	Polished Feet & Underframe with White Linak Actuator	94.5"	39.5"	8	4662	5038	5416	-
Lozenge	ACM/2400D/L/B	Black Feet & Underframe with Black Linak Actuator	94.5"	39.5"	8	4720	5096	5476	-
Lozenge	ACM/2400D/L/W	White Feet & White Linak Actuator with Black Underframe	94.5"	39.5"	8	4766	5142	5522	-

TABLES

Options

CODE:	DESCRIPTION	\$
CUTOUT	Cut out for customers own power	112
ARC-H LD	Wireless charging - Black or White	300
PIXEL	1x US Power & 1x TUF - White	460
DPF1C	LINAK DPF1C - Digital LED Control Panel	94

Product Weight

CODE:	DESCRIPTION	\$
BLUE TOOTH	Blue Tooth Adapter	84
RC	2.75" Radius corners	144



Image Shows ACM/94.5"/E/H/B with Fenix top in raised position

Raised Foot Table Profiles

Height Adjustable from 25.25" - 45.25" the Flat foot specified

Square Edge as Standard

For table sizes over W94.5" and above feature a 'crossbar' above the foot for increased stability (shown above)



Black RAL 9005 & Polished Aluminum

White RAL 9016 & Polished Aluminum

Black RAL 9005

White RAL 9016

Standard Equipment

Our ACDC meeting tables come fully equipped with everything you need in order to start working from a sat or standing position.

To further enhance your sit stand working experience, we offer several upgrades & extras for you to choose from. Details of these can be found on the previous two pages.

Is there something you would like to add to your desk but haven't found an option for it here? Simply contact your sales representative who will be able to advise you on compatibility and costings.

Standard Control Options



DL11 Lifting Column in black or white

Optional Extras to Consider



DPF1K 2 button table control panel



DPF1C with LED & 3 memory positions



Bluetooth Connector for remote desk control

RAISED FOOT	Code	Description	Size		Seats Approx.	Square Edge Only			Product Weight (lb)
			L x W			Laminate Matching Edge 0.75"	Oak Or ABW Veneer Solid Edge 0.75"	Fenix Matching Edge 0.75"	
Rectangular	ACM/1600/H/P/B	Polished Feet & Under Frame with Black Linak Lifting Column	63"	39.5"	6	3792	4540	5090	-
Rectangular	ACM/1600/H/P/W	Polished Feet & Under Frame with White Linak Lifting Column	63"	39.5"	6	3792	4540	5090	-
Rectangular	ACM/1600/H/B	Black Feet & Under Frame with Black Linak Lifting Column	63"	39.5"	6	3854	4598	5152	-
Rectangular	ACM/1600/H/W	White Feet & White Linak Lifting Column with Black Under Frame	63"	39.5"	6	3898	4642	5196	-
Rectangular	ACM/1800R/H/P/B	Polished Feet & Under Frame with Black Linak Lifting Column	71"	39.5"	6	3842	4676	5212	-
Rectangular	ACM/1800R/H/P/W	Polished Feet & Under Frame with White Linak Lifting Column	71"	39.5"	6	3842	4676	5212	-
Rectangular	ACM/1800R/H/B	Black Feet & Under Frame with Black Linak Lifting Column	71"	39.5"	6	3904	4728	5272	-
Rectangular	ACM/1800R/H/W	White Feet & White Linak Lifting Column with Black Under Frame	71"	39.5"	6	3948	4774	5318	-
Rectangular	ACM/2100R/H/P/B	Polished Feet & Underframe with Black Linak Actuator	82.75"	39.5"	6-8	4040	4638	5120	-
Rectangular	ACM/2100R/H/P/W	Polished Feet & Underframe with White Linak Actuator	82.75"	39.5"	6-8	4040	4638	5120	-
Rectangular	ACM/2100R/H/B	Black Feet & Underframe with Black Linak Actuator	82.75"	39.5"	6-8	4116	4712	5196	-
Rectangular	ACM/2100R/H/W	White Feet & White Linak Actuator with Black Underframe	82.75"	39.5"	6-8	4160	4758	5242	-
Rectangular	ACM/2400R/H/P/B	Polished Feet & Underframe with Black Linak Actuator	94.5"	39.5"	8	4612	4988	5370	-
Rectangular	ACM/2400R/H/P/W	Polished Feet & Underframe with White Linak Actuator	94.5"	39.5"	8	4612	4988	5370	-
Rectangular	ACM/2400R/H/B	Black Feet & Underframe with Black Linak Actuator	94.5"	39.5"	8	4676	5056	5434	-
Rectangular	ACM/2400R/H/W	White Feet & White Linak Actuator with Black Underframe	94.5"	39.5"	8	4720	5102	5480	-
Elliptical	ACM/2400E/H/P/B	Polished Feet & Underframe with Black Linak Actuator	94.5"	43.25"	8	4656	5038	5416	-
Elliptical	ACM/2400E/H/P/W	Polished Feet & Underframe with White Linak Actuator	94.5"	43.25"	8	4656	5038	5416	-
Elliptical	ACM/2400E/H/B	Black Feet & Underframe with Black Linak Actuator	94.5"	43.25"	8	4720	5096	5476	-
Elliptical	ACM/2400E/H/W	White Feet & White Linak Actuator with Black Underframe	94.5"	43.25"	8	4766	5142	5522	-
Lozenge	ACM/2400D/H/P/B	Polished Feet & Underframe with Black Linak Actuator	94.5"	39.5"	8	4702	5084	5460	-
Lozenge	ACM/2400D/H/P/W	Polished Feet & Underframe with White Linak Actuator	94.5"	39.5"	8	4702	5084	5460	-
Lozenge	ACM/2400D/H/B	Black Feet & Underframe with Black Linak Actuator	94.5"	39.5"	8	4762	5138	5522	-
Lozenge	ACM/2400D/H/W	White Feet & White Linak Actuator with Black Underframe	94.5"	39.5"	8	4808	5182	5564	-

TABLES

Product Weight

Options

CODE:	DESCRIPTION	\$	CODE:	DESCRIPTION	\$
CUTOUT	Cut out for customers own power	112	BLUE TOOTH	Blue Tooth Adapter	84
ARC-H LD	Wireless charging - Black or White	300	RC	2.75" Radius corners	144
PIXEL	1x US Power & 1x TUF - White	460			
DPF1C	LINAK DPF1C - Digital LED Control Panel	94			